








DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES


SOFTWARE FEATURE CODES

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Page 618 of 2316




FEATURE CODES

SOFTWARE FEATURE CODES


B6.7/L9 - Seats (RollTek) Drivers Seat Only (Hard Wired) - Vinyl:Diagram1
 B6.7/L9 - Vehicle Information Display (W/ BT):Diagram1
 B6.7/L9 - Vehicle Information Display Premium w/ Wi-Fi VID:Diagram1
 B6.7/L9 - Vehicle Information Display W/O BT:Diagram1
 B6.7/L9 - Vehicle Sleep Mode:Diagram1
 B6.7/L9 - Vehicle Speed Control (Cruise Control) 4 Pin:Diagram1
 B6.7/L9 - Vehicle Speed Control (Cruise Control) 10 Pin:Diagram1
 L9 - 26" Fuel Tank:Diagram1-Combination1
 L9 - 26" Fuel Tank - Secondary:Diagram1-Combination1
 L9 - 26" Fuel Tank - Secondary:Diagram1-Combination2
 L9 - Auxiliary Air Solenoids (1 Normally Closed):Diagram1
 L9 - Auxiliary Air Solenoids (2 Normally Closed):Diagram1-Combination1
 L9 - Auxiliary Air Solenoids (2 Normally Closed):Diagram1-Combination2
 L9 - Auxiliary Air Solenoids (2 Normally Closed):Diagram1-Combination3
 L9 - Auxiliary Air Solenoids (3 Normally Closed):Diagram1
 L9 - Axle Loading (Weight) Rear:Diagram1-Combination1
 L9 - Axle Loading (Weight) Rear:Diagram1-Combination2
 L9 - Axle Temperature Monitoring (Single Rear Aux Gauge):Diagram1
 L9 - Axle Temperature Monitoring (Single Rear Virtual Gauge):Diagram1
 L9 - Axle Temperature Monitoring (Tandem Rear Aux Gauge):Diagram1
 L9 - Axle Temperature Monitoring (Tandem Rear Virtual Gauge):Diagram1
 L9 - Brake Pressure (Auxiliary Gauge):Diagram1
 L9 - Brake Pressure (Virtual Gauge):Diagram1
 L9 - Brake Switch (Hydraulic):Diagram1
 L9 - CAN Layout:Body Standard J1939 (250Kbps)
 L9 - CAN Layout:Telematics J1708
 L9 - City Horn (W/ 4PIN CLK & P. Brake):Diagram1-Combination1
 L9 - City Horn (W/ 4PIN CLK & P. Brake):Diagram1-Combination2
 L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination1
 L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination2
 L9 - City Horn (W/ 10PIN CLK & P. Brake):Diagram1

Connector Name K22_1040
Part Number RING-M-6_0
Instances L9 - Bosch LH160_LH200 Alternator:Diagram1
Mates DEV-Bosch_LH160_LG200_Alternator- 4004-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material descrip tion	Wire Color Descrip tion	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A	-	-	WF2-G	3592742 R1	39.43	1.0	Std. Wall XLPE Battery Cable	WHITE	2550.0	-	A	K22_1300

Connector Name M04_8509A
Part Number 3919376C1
Instances L9 - Antilock Brake System (ABS) - Wabco 4 Channel
Implementation:Diagram1-Combination1
L9 - Antilock Brake System (ABS) - Wabco 4 Channel
Implementation:Diagram1-Combination2
Mates MDL-ABS-3003-02-04B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
1	-	-	MH94AH	3510313 R1	1.91	14.0	Thin Wall XLPE Primary Cable	GREY	4680.0	-	36	1700
2	-	-	MH94AJ	3510313 R1	1.91	14.0	Thin Wall XLPE Primary Cable	GREY	4680.0	-	35	1700
3	-	-	MH94AK	3510313 R1	1.91	14.0	Thin Wall XLPE Primary Cable	GREY	4680.0	-	34	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
R1 - 86	-	-	RN78RE	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	215.0	-	X	-
R1 - 87	-	-	RF78	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2150.0	-	X	-

L9 - Body Builder Lighting - Separate Turn and Stop Lamps
 (Blunt Cut) Option2:Diagram1
 L9 - CAN Layout:ABS Proprietary J1939
 L9 - CAN Layout:Body Standard J1939 (250Kbps)
 L9 - Center Chassis Ground Splice Packs
 8802/8805/8807/8809:Diagram1
 L9 - Collision Avoidance System (Warning):Diagram1
 L9 - Directional Signal (Turn) W/ DAISY CHAIN BOX
 LAMPS:Diagram1
 L9 - Directional Signal (Turn) W/ Daisy Chain Box Lamps W/
 Plow Lights:Diagram1
 L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1
 L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
 Lights:Diagram1
 L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard
 SW:Diagram1
 L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
 Lights:Diagram1
 L9 - Drain Valve Heater:Diagram1-Combination1
 L9 - Drain Valve Heater:Diagram1-Combination2
 L9 - Drain Valve Heater:Diagram1-Combination3
 L9 - Drain Valve Heater:Diagram1-Combination4
 L9 - Driver Controlled Locking Differential - FR and RR Axles
 (Meritor w/ two sw):Diagram1
 L9 - Driver Controlled Locking Differential - FR & RR Axle (Dana
 w/ one switch):Diagram1
 L9 - Driver Controlled Locking Differential - FR & RR Axle
 (Meritor w/ one sw):Diagram1
 L9 - Driver Controlled Locking Differential - RR Axle (Dana w/
 one sw):Diagram1
 L9 - Driver Controlled Locking Differential - RR Axle (Meritor w/
 one sw):Diagram1
 L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
 Combination1
 L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
 Combination2
 L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
 Combination3
 L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
 Combination4
 L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
 Combination5
 L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
 Combination6


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
C3	-	-	XF94SV	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1855.0	-	X	-
C3	-	-	XK94SVE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1855.0	-	X	-
C3	-	-	XH94SV	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2065.0	-	4	1403
C4	-	-	BE99B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	47	1703M
C5	-	-	BE97C	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	49	1703M
C6	-	-	BE97MA	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	48	1703M
C9	-	-	AA82A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	A9	J3-1600
C10	-	-	XK94SZE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1875.0	-	X	-

Connector Name 2303M
Part Number 1661197C1
Short Description CB RADIO POWER
Instances B6.7/L9 - CB Radio Power Only:Diagram1
B6.7/L9 - CB Radio Power Only (Single Antenna):Diagram1
Mates 2303F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	C86F	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	930.0	-	A	2500M
B	-	-	C86-GF	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	760.0	-	X	-

Connector Name 9717F1
Part Number 3537133C1
Short Description TRAILER GROUND
Instances
B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut):Diagram1
B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option2:Diagram1
B6.7 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes):Diagram1
B6.7 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option2:Diagram1
L9 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut):Diagram1
L9 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option2:Diagram1
L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes):Diagram1
L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option2:Diagram1



Mates 9717

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A	-	-	TW10	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	2356.0	-	A	9724
A	-	-	RG10	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	2356.0	-	A	9724
A	-	-	RG10	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	2356.0	-	G	9724
A	-	-	TW10	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	2356.0	-	A	9724A