
How to Use Your Parts Catalog

1. Figure Number
2. Sequence code within the Figure Number
3. Page number within the Sequence Code
4. Date of Printing (month / year)
5. Figure Description
6. General information regarding the figure
7. Parts supplied in repair kits per symbol reference
8. Figure call-out of the part number (REF)
9. Technical Specifications relating to the part indicated
10. Figure call-out includes bracketed items, the included items may also be listed in the additional description area
11. Orientation - Arrow indicates front of the machine
12. Footnote - Additional information relating to the part number. In this example, 08-20 equals another figure that this part is shown on.
13. Part Number
 - NSS = Non-serviced parts
 - Bracketed numbers = not available as service parts in this market
14. Not Available as service part in this market
15. YR/SN
 - Year
 - Before 01/85 = Part valid for production January 1985 and before
 - From 01/85 = Part valid for production from January 1985 and after
 - BTW 01/85 & 02/02 = Part valid for machines produced between January 1985 and February 2002.
 - Serial Number (P.I.N.)
 - BSN JJC0268800 = Part valid for serial number JJC0268800 and below
 - ASN JJC0268800 = Part valid for serial number JJC0268800 and above
 - BTW JJC0178000 & JJC0179000 = Part valid for serial numbers between JJC0178000 & JJC0179000
16. Total Quantity of the Part referred to in the page. The quantity can be replaced by the following indications:
 - AR = quantity as required
 - X = as required
17. Part Description
18. Additional description of the part to help confirm identification
19. Figure Notes
20. Model Number(s)

TABLE OF CONTENTS

1.89.0/03	01A	(VAR.330937) INDIPENDENT SWINGING DRAWBAR WITH CLEVIS - D5818
1.89.0/04	01	(VAR.330915) SWINGING DRAWBAR WITH ROLLERS - C6098
1.89.0/04	01A	(VAR.330915) SWINGING DRAWBAR WITH ROLLERS - D6098
1.89.3	01	(VAR.330943-331943-332943) AUTOMATIC PICK UP HITCH WITH SWINGING DRAWBAR - TOW HOOK - W/CAB
1.89.3	02	(VAR.330943-331943-332943) AUTOM. PICK UP HITCH WITH SWINGING DRAWBAR - TIE ROD AND TOW-BAR - W/CAB
1.89.3/01	01	(VAR.331945-332945-333945) APUH - HYDRAULIC PUSH BACK WITH SWINGING DRAWBAR - TOW HOOK
1.89.3/01	02	(VAR.331945-332945-333945) APUH - HYDRAULIC PUSH BACK WITH SWINGING DRAWBAR - TOW HOOK
1.89.3/01	03	(VAR.331945-332945-333945) APUH - HYDRAULIC PUSH BACK WITH SWINGING DRAWBAR - TOW HOOK
1.89.4		(VAR.330895) TRAILER BRAKE BRACKET (ITALY)
1.89.5		(VAR.330938-330939) SLIDER TOW HOOK WITH AUTO SWIVEL COUPLING GERMAN TYPE
1.89.5/01		(VAR.330952) SLIDER TOW HOOK WITH K80 BALL
1.89.5/02		(VAR.330940) SLIDER TOW HOOK WITH SWIVEL COUPLING AND PITON FRENCH TYPE
1.89.5/03		(VAR.330942) SLIDER TOW HOOK WITH FIXED COUPLING (C) ITALIAN TYPE
1.89.5/04		(VAR.330943-331943-332943) AUTOMATIC PICK UP HITCH WITH SWINGING DRAWBAR - LEVER - W/CAB
1.89.5/05		(VAR.331945-332945-333945) APUH - HYDRAULIC PUSH BACK WITH SWINGING DRAWBAR - LEVER
1.89.5/06		(VAR.330955) SLIDER TOW HOOK WITH AUTO SWIVEL COUPLING LESS SWINGING DRAWBAR (GERMANY)
1.89.5/07		(VAR.331954-332954) SLIDER TOW HOOK WITH FIXED COUPLING C AND D3 LESS SWINGING DRAWBAR (ITALY)
1.89.6	01	TOOLING CONNECTION UNIT
1.89.6	02	TOOLING CONNECTION UNIT
1.89.6/ A		THIRD-LINK SPRAG - PARTS
1.89.6/ B		ADJUSTABLE LIFT-ROD, PARTS
1.89.6/ C		LIFT ROD - PARTS
1.89.6/01	01	TOOLING CONNECTION UNIT
1.89.6/01	02	TOOLING CONNECTION UNIT
1.89.6/01	03	TOOLING CONNECTION UNIT WITH HYDRAULIC ADJUSTMENT - TIE-RODS
1.89.6/01A		THIRD-LINK SPRAG - PARTS - C6242
1.89.6/01B		ADJUSTABLE LIFT - ROD
1.89.6/01C		IMPLEMENT LINKAGE HOOK - PARTS
1.89.6/01D		THIRD-LINK SPRAG - PARTS - D6242
1.89.6/02		(VAR.330970) CAT.2 FLEXIBLE LINKS FOR MDC
1.89.6/03		(VAR.331920) CAT.2/3 FLEXIBLE LINKS FOR EDC AND SPS - C6335
1.89.6/03A		THIRD-POINT TOP LINK - BREAKDOWN
1.89.6/04		(VAR.330971) CAT.2 QUICK ATTACH LINKS FOR MDC - C6335
1.89.6/04A		IMPLEMENT LINKAGE HOOK - BREAKDOWN
1.89.6/04B		THIRD-LINK SPRAG - PARTS
1.89.6/05		(VAR.331923) CAT.2/3 QUICK ATTACH LINKS FOR EDC
1.89.6/06		CAT.2/3 QUICK ATTACH LINKS FOR HYDRAULIC LINKAGE ADJUSTMENT - TOOLING CONNECTION UNIT
1.89.6/06A		THIRD-LINK SPRAG - PARTS
1.89.6/06B		ADJUSTABLE LIFT-ROD, PARTS

0.0040

05



p1

05/10

OPTIONAL EQUIPMENT - ENGLISH

VARIANT CODE	DESCRIPTION	APPLICATION						
		100	110	115	120	125	130	140
330830	63 l/min fixed displacement pump for EDC and 16x18 (See ces. 3-4-10)	●	●	●		●		
330831	Front HPL less PTO (See sec. 7-10)	●	●	●	●	●	●	●
331831	Front HPL less PTO for front axle suspension (See sec. 7-10)	●	●	●	●	●	●	●
332831	Front HPL less PTO for electrohydraulic remotes (See sec. 7-10)	●	●	●	●	●	●	●
333831	Front HPL less PTO for front axle suspension and electrohydraulic remotes (See sec. 7-10)	●	●	●	●	●	●	●
334831	Front HPL with electronic front hitch control (See sec. 7-10)		●	●	●	●	●	●
335831	Front HPL with electronic front hitch control for front axle suspension (See sec. 7-10)		●	●	●	●	●	●
330835	113 l/min CCLS pump for MDC and SPS (See ces. 3-4-7-10)	●	●	●	●	●		
331836	113 l/min CCLS pump for EDC and SPS (See ces. 3-4-7-10)	●	●	●		●		●
332836	113 l/min CCLS pump for EDC and SPS (30-40Km/H) with electro-hydraulic remote control valves (See ces. 3-4-7-10)	●	●	●	●	●	●	●
333836	113 l/min CCLS pump for EDC and SPS (40E-50Km/H) (See ces. 3-4-7-10)	●	●	●		●		●
335836	113 l/min CCLS pump for EDC and SPS with slip (40E-50Km/H) with electro-hydraulic remote control valves (See ces. 3-4-7-10)	●	●	●	●	●	●	●
330839	Low pressure hydraulic return port for MDC (See sgr. 1.82.7/35)	●	●	●		●		●
331839	Low pressure hydraulic return port for EDC (See sgr. 1.82.7/36)	●	●	●	●	●	●	●
330840	MDC with one internal cylinder and two external (50 mm) for heavy duty axle (See sec. 7)	●	●	●		●		
331840	MDC with one internal cylinder and two external (50 mm) for heavy duty axle and APUH (See sec. 7)	●	●	●		●		
332840	MDC with one internal cylinder and two external (50 mm) for standard duty axle (See sec. 7)	●	●					
333840	MDC with one internal cylinder and two external (50 mm) for standard duty axle and APUH (See sec. 7)	●	●					
330841	EDC with one internal cylinder and two external (50 mm) (See sec. 7-9)	●	●	●		●		
331841	EDC with one internal cylinder and two external (50 mm) for APUH (See sec. 7)	●	●	●		●		●
330842	Outer PTO control for MDC mounted on mudguards (See sgr. 1.91.1/02)	●	●	●		●		
330844	2 Remotes for fixed displacement pump for EDC (See sec. 7-10)	●	●	●		●		
331844	3 Remotes (1NC + 2 config) for fixed displacement pump for EDC (See sec. 7-10)	●	●	●		●		
333844	3 Remotes (1NC + 2 config) for CCLS pump for EDC (See sec. 7-10)	●	●	●	●	●	●	●
334844	3 Remotes (1NC + 2 config) for CCLS pump for MDC (See sec. 7-10)	●	●	●		●		
330845	Lift external control (See sgr. 1.96.1/02)	●	●	●		●		
331845	4 Remotes (2NC + 2 config) for fixed displacement pump for EDC (See sec. 7-10)	●	●	●		●		
333845	4 Remotes (2NC + 2 config) for CCLS pump for EDC (See sec. 7-10)	●	●	●	●	●	●	●
334845	4 Remotes (2NC + 2 config) for CCLS pump for EDC for hydraulic adjust linkage (See sec. 7-10)	●	●	●	●	●	●	●
335845	4 Remotes (2NC + 2 config) for CCLS pump for MDC (See sec. 7-10)	●	●	●		●		
330847	Front HPL and PTO with shaft with 6 spline (See sec. 6-7-8-10)	●	●	●	●	●	●	●
331847	Front HPL and PTO with shaft with 6 spline for front axle suspension (See sec. 6-7-8-9-10)	●	●	●	●	●	●	●
332847	Front HPL and PTO with shaft with 6 spline for electrohydraulic remotes (See sec. 6-7-8-10)	●	●	●	●	●	●	●
333847	Front HPL and PTO with shaft with 6 spline for front axle suspension and EHR's (See sec. 6-7-8-10)	●	●	●	●	●	●	●
334847	Front HPL and PTO with shaft with 6 spline for front axle suspension with front brakes (See sec. 4-6-7-8-10)	●	●	●	●	●	●	●
335847	Front HPL and PTO with shaft with 6 spline for EHR's for front axle susp. w/front brakes (See sec. 4-6-7-8-10)	●	●	●		●	●	●
330849	2 Configurable remotes closed centre mechanical for 80L/Min fixed displacement pump for EDC (See sec. 7)	●	●	●		●		●
331849	2 Configurable remotes closed centre mechanical for 113L/Min CCLS pump for EDC (See sec. 7)	●	●	●		●		●
332849	2 Configurable remotes closed centre mechanical for 113L/Min CCLS pump for MDC (See sec. 7)	●	●	●		●		●
330851	3 Remote control valve for 63 FD pump and MDC (See sec. 7-10)	●	●	●		●		


ROCKER SHAFT



(VAR.330448) WATERPROOFING - 4WD SUPPORTS FOR FRONT AXLE

REF	FN	PART NUMBER	YR/SN	QTY	DESCRIPTION
1		5140452		1	SUPPORT, Incl. 2, 5
2		5101112		1	BUSHING, 52x57x42
3		10837710		4	DOWEL, M10 x 25
4		13411117		1	PRESSURE RELIEF VALVE
5		13407211		2	LUBE NIPPLE, M10 x 1
6		14272031		2	SCREW, M18 x 1.5 x 65
7		14471380		1	O-RING, -330, 70 Duro, 2.1" ID x .210" Thk
8		5188609		1	SEAL, 99x107x7.5
9		14273234		2	BOLT, Hex, M18 x 1.5 x 160
10		47126805		1	SUPPORT, Incl. 3, 5, 11
11		5129385		1	BUSHING
12		5140456		1	RING
					MAXXUM 120 MAXXUM 140 MAXXUM 110 MAXXUM 130 MAXXUM 100 MAXXUM 115

113 L/MIN CCLS PUMP FOR (CL.3) FRONT AXLE - PUMPS FOR HYDRAULIC SYSTEM AND LIFT - D6562






(CL.3) FRONT AXLE WITH DOG CLUTCH AND STEERING SENSOR - ADJUSTING SHIMS - D5954

REF	FN	PART NUMBER	YR/SN	QTY	DESCRIPTION
1		5142027		AR	SHIM, 2.5mm Thk
1		5142028		AR	SHIM, 2.6mm Thk
1		5142029		AR	SHIM, 2.7mm Thk
1		5142030		AR	SHIM, 2.8mm Thk
1		5142031		AR	SHIM, 2.9mm Thk
1		5142032		AR	SHIM, 3.0mm Thk
1		5142033		AR	SHIM, 3.1mm Thk
1		5142034		AR	SHIM, 3.2mm Thk
1		5142035		AR	SHIM, 3.3mm Thk
1		5142036		AR	SHIM, 3.4mm Thk
1		5142037		AR	SHIM, 3.5mm Thk
1		5142038		AR	SHIM, 3.6mm Thk
1		5142039		AR	SHIM, 3.7mm Thk



Group is Valid for VAR.330409; X-Line/Limited and Multicontroller/Pro Versions only; D5954 Serial N. (Z8BE08970 Basildon Prod. / Z7BE53528 St. Valentin Prod.)

**MAXXUM 110 MAXXUM 120
MAXXUM 140 MAXXUM 130
MAXXUM 100 MAXXUM 115**

(CL.4) FRONT AXLE W/MULTI-PLATE DIFF. LOCK, ST. SENSOR AND BRAKES - BRAKES PIPES - C6684



(VAR.330801) POWER TAKE-OFF 540/750/1000 RPM - CONTROLS - D5915



1.82.5/01

03

p1

05/10

(VAR.330840-331840-331914) MDC FOR HEAVY DUTY AXLE - CONTROL PARTS

REF	FN	PART NUMBER	YR/SN	QTY	DESCRIPTION
1		5122497		1	LEVER
2		13739610		1	SET SCREW, Hex Soc, M8 x 12, Cone Pt
3		15970424		1	BOLT, Hex, M10 x 1.25 x 18, 8.8, Full Thd
4		14198810		1	LOCKING PLATE
5		5135220		1	BRACKET
6		14457281		1	O-RING, -114, Cl 7, .612" ID x .103" Thk
7		5135221		1	PIN
8		5135219		1	SPACER
9		5193911		1	LEVER
10		5109160		2	ROLLER BEARING
11		11064076		1	CLIP, D=8
12		5136355		1	TIE-ROD
13		5173352		1	CLEVIS
14		11065976		1	CIRCLIP, M10, Ext
15		5117143		1	LEVER

Limited Version only; for MAX125 Limited is Valid for Cab Model only.

**MAXXUM 100 MAXXUM 115
MAXXUM 125 MAXXUM 110**

1.87.7/02









p1

05/10



(VAR.330855) COLLAPSIBLE ROPS AND CANOPY

REF	FN	PART NUMBER	YR/SN	QTY	DESCRIPTION
1		82028251		1	STRAP
2		82033827		1	PILLAR, RH
2		82028257		1	PILLAR, LH
3		11120531		2	BOLT, Hex, M16 x 130, 10.9
4		82029074		2	LOCK NUT, M16x2
5		82002843		2	PIN
6		82026125		2	PIN
7		81810439		2	LOCK PIN
8		82028261		2	GUIDE
9		14497101		8	WASHER, M20 x 37 x 3
10		11124831		8	BOLT, Hex, M20 x 55, 10.9, Full Thd
11		47130207		1	ROOF
12		80087670		6	SCREW
13		83909861		6	WASHER, 1/2" x 1.06" x .095" Thk, HDN, G8
14		87306363		6	NUT, Lock, Flg, G5, 1/2"-13
15		12577511		8	LOCK NUT, M12 x 1.75, Cl 8
16		82034326		1	BRACKET, RH
16		82034324		1	BRACKET, LH
17		82026126		4	U-BOLT
18		82034329		1	DECAL
19		81821253		6	BOLT
20		87652574		1	DECAL
					MAXXUM 110 MAXXUM 100 MAXXUM 115 MAXXUM 125


CAB INTERNAL AND EXTERNAL LIGHTING




NAR LOADER READY - AUXILIARY CABLES



SEAT L/BELTS AND L/SWITCH - BREAKDOWN - L/CAB



● = 14
■ = 16



1.94.3/02

04

p1

05/10

AIR CONDITIONING SYSTEM PIPES - C5549

REF	FN	PART NUMBER	YR/SN	QTY	DESCRIPTION
1		87613559		1	PIPE, Incl.2-4
2		82000793		1	O-RING
3		10318883		1	O-RING
4		82007847		2	O-RING, M6.7 ID x 1.8 Thk
5		87618408		1	PIPE, Incl. 6-7
6		10319183		1	O-RING
7		14450683		1	O-RING
8		14306321		2	SCREW, Hex Soc Hd, M8 x 20, 8.8
9		87305163		1	SENSOR, High Pressure
10		10441490		1	CLAMP
11		14303021		1	SCREW, Hex, M4 x 12, 8.8, Full Thd
12		10615279		1	LOCK WASHER, M4, Serr
13		87653304		1	BRACKET

Multicontroller/Pro Version only; C5549 Serial N. (25 May 2007 Basildon Prod. / Z7BE52945 St. Valentin Prod.)

MAXXUM 140
MAXXUM 115
MAXXUM 125